







YOUR ELECTRICAL EXPERTS

IN-BRANCH | CEF.CO.UK | TRADE CATALOGUE | APP

All products are subject to availability and prices are correct at the time of print.

Prices valid until 5:30pm on 30th April 2024.

## **LAMPS BAN TIMELINE**

The EU published its review of RoHS exemptions on mercury containing lamps on the 24th February 2022 in the Official Journal of the European Union.

Post Brexit, our industry awaited confirmation of Great Britain's timetable. On Monday 30th January 2023, DEFRA published the Secretary of State's determination, applicable to England, Scotland and Wales on the Government's website. The lamp type exemptions mirror the EU, but with extended implementation timescales as listed below.

<b>Lamp Type</b>		EU Phase-out Date (Legislation)	GB Phase-out Date (Legislation)
T8 Fluorescent Tubes	**	August 2023	September 2023
(2ft, 4ft & 5ft)		(RoHS)	(Eco-Design)
Halogen Capsules		August 2023	September 2023
(G4, GY6.35 & G9)		(Eco-Design)	(Eco-Design)
Compact Fluorescent		February 2023	February 2024
Lamps (CFLs)		(RoHS)	(RoHS)
T5 Fluorescent Tubes		August 2023	February 2024
(All Lengths)		(RoHS)	(RoHS)
T8 Fluorescent Tubes		August 2023	February 2024
(Remaining Lengths)		(RoHS)	(RoHS)

The Northern Ireland Protocol that came into force on 1 January 2021 requires Northern Ireland to align with relevant EU rules relating to the placing of products on the market. As such this means that Northern Ireland will adopt the EU time line rather than Great Britain's.

In line with all previous bans, it is still legal to sell and install these lamps, ultimately once all existing stocks are depleted, these lamps will no longer be available.



# **CONTENTS**

Lamps Ban Timeline	02
Banned Lamps - September 2023 T8 Triphosphor Fluorescent Tubes	
Banned Lamps - February 2024	
16W CFL 2D Lamps	
T5 Circular Fluorescent Tubes	
CFL Single Compact Lamps	
CFL Double Compact Lamps	
CFL Triple Compact Lamps	
CFL Long Compact 4 Pin PLL Lamps	
T8 Triphosphor Fluorescent Tubes	
T5 Miniature Fluorescent Tubes	
LED T8/ T5 Glass Tubes	11
LED Capsule Lamps	
8W G24 LED Lamps	
2G11 LED PLL Lamps	
8W LED 2D Lamps	
LED Luminaire Alternatives	14
LED Luminaire Options	
LED Tri-colour Battens IP20	15
LED Non-corrosive Fittings IP65	
LED Linear Vapour Proof Fittings IP65	
LED Slimline Under Cabinet Link Lights	18
Backlit LED TP[a] Panels IP20	19
12W / 16W Dome LED Tri-Colour Bulkheads IP65	
12W / 16W Klip LED Tri-Colour Bulkheads IP65	
LED Circular Flexi-fit Tri-colour Downlights IP20	
LED Low Profile Commercial Downlight IP204.IW Emergency Conversion Kit IP20	
4.1W LINETGENLY CONVENSION ARE IF ZU	20



# **BANNED LAMPS**

#### **SEPTEMBER 2023 BAN**

September 2023 will see the phase out of 2ft, 4ft and 5ft T8 Fluorescent tubes. In addition Halogen G4, G9 and GY6.35 capsule lamps will also be banned, both bans are implemented under the Eco-Design legislation surrounding inefficiency.

In line with all previous bans, it is still legal to sell and install these lamps. Ultimately once all existing stocks are depleted, these lamps will no longer be available.





# **BANNED LAMPS**







# T8 TRIPHOSPHOR FLUORESCENT TUBES

■ Lamp life: 20,000 hrs



Code	Length	Wattage	Lumens	1+	25+			
Warm White – 3000K								
0305-4415	2 ft	18W	1350 lm	£2.75	£2.65			
0305-4466	4 ft	36W	3350 lm	£3.70	£3.50			
0305-4487	5 ft	58W	5230 lm	£4.40	£4.05			
White - 3500	)K							
0305-4418	2 ft	18W	1350 lm	£2.75	£2.65			
0305-4469	4 ft	36W	3350 lm	£3.70	£3.50			
0305-4490	5 ft	58W	5250 lm	£4.40	£4.05			
Cool White -	4000K							
0305-4421	2 ft	18W	1350 lm	£2.75	£2.65			
0305-4472	4 ft	36W	3350 lm	£3.70	£3.50			
0305-4493	5 ft	58W	5250 lm	£4.40	£4.05			
Daylight – 6500K								
0574-1053	2 ft	18W	1250 lm	£2.75	£2.65			
0567-8131	4 ft	36W	3050 lm	£3.70	£3.50			
0585-3589	5 ft	58W	5000 lm	£4.40	£4.05			

# HALOGEN G9 CAPSULE LAMPS

- Finish: Clear
- Cap: G9
- Lamp life: 2,000 hrs



ONLY 2.30 +VAT

Code	Wattage	Lumens	1+	10+
Warm White -	- 2700K			
0999-1597	18W	204 lm	£3.30	£3.10
0999-1600	33W	460 lm	£3.30	£3.10


# HALOGEN CAPSULE LAMPS

■ Finish: Clear



ONLY £1.65 +VAT

Ca	de	Wattage	Cap	Lumens	1+	10+			
W	Warm White – 2900K								
04	31-1037	5W	G4	60 lm	£1.65	£1.50			
25	97-9065	8W	G4	104 lm	£1.65	£1.50			
25	97-9059	16W	G4	280 lm	£1.65	£1.50			
25	97-9062	28W	GY6.35	580 lm	£1.65	£1.50			
25	97-9056	40W	GY6.35	905 lm	£1.65	£1.50			



# **BANNED LAMPS**

#### **FEBRUARY 2024 BAN**

The February 2024 ban will see the Compact Fluorescent Lamp (CFL) phase out issued in the UK. Additionally all remaining sizes of T8 Tubes, along with T5 Tubes will be banned. All these bans are due to the RoHS Directive and associated mercury content.

In line with all previous bans, it is still legal to sell and install these lamps. Ultimately once all existing stocks are depleted, these lamps will no longer be available.





# **BANNED LAMPS**







# **16W CFL 2D LAMPS**

- Emergency compatible
- Lamp life: 10,000 hrs





	Code	Wattage	Сар	Lumens	1+	10+
White – 3500K						
	1145-1463	16W	GR8 2 Pin	1060 lm	£4.15	£3.85
	1362-5662	16W	GR10q 4 Pin	1060 lm	£4.15	£3.85

# T5 CIRCULAR FLUORESCENT TUBES

- Cap: 2GX13
- Lamp life: 16,000 hrs





Code	Wattage	Lumens	1+
Cool White - 40	100K		
0305-3254	22W	1800 lm	£14.05

# T9 TRIPHOSPHOR CIRCULAR FLUORESCENT TUBES

- Cap: G10q
- Lamp life: 12,000 hrs





Code	Wattage	Lumens	1+
Cool White -	4000K		
1043-5342	22W	1400 lm	£11.50
1043-5348	32W	2400 lm	£12.75
1043-5357	40W	3200 lm	£18.25



# **BANNED LAMPS**



**CFL SINGLE COMPACT LAMPS** 

■ Lamp life: 10,000 hrs



Code	Wattage	Сар	Length	Lumens	1+	10+		
2 Pin – Cool	2 Pin – Cool White – 4000K							
0305-4079	5W	G23	105 mm	260 lm	£3.15	£2.95		
0305-4121	7W	G23	135 mm	405 lm	£3.20	£2.95		
0305-4136	9W	G23	164 mm	583 lm	£3.25	£3.05		
0305-3956	11W	G23	233 mm	897 lm	£3.35	£3.15		
4 Pin – Cool	White – 4000K							
0305-4073	5W	2G7	88 mm	260 lm	£3.20	£2.95		
0305-4115	7W	2G7	120 mm	405 lm	£3.20	£2.95		
0305-4130	9W	2G7	149 mm	583 lm	£3.20	£2.95		
0305-3950	11W	2G7	218 mm	897 lm	£3.35	£3.05		

# **CFL TRIPLE COMPACT LAMPS**

■ Lamp life: 10,000 hrs



Code	Wattage	Cap	Length	Lumens	1+	10+
2 Pin – Cool	White – 40	OOK				
0305-4730	13W	GX24d-1	110 mm	806 lm	£5.25	£5.05
0305-4742	18W	GX24d-2	125 mm	1206 lm	£5.25	£5.05
0305-4760	26W	GX24d-3	145 mm	1749 lm	£5.25	£5.05
4 Pin – Cool	White – 40	OOK				
0305-4787	13W	GX24q-1	103 mm	806 lm	£5.85	£5.55
0305-4793	18W	GX24q-2	118 mm	1206 lm	£5.85	£5.55
0305-4799	26W	GX24q-3	138 mm	1749 lm	£5.85	£5.55
0305-4805	32W	GX24q-3	139 mm	2112 lm	£6.20	£5.85
0305-4811	42W	GX24q-4	165 mm	2814 lm	£6.20	£5.85

# **CFL DOUBLE COMPACT LAMPS**

■ Lamp life: 10,000 hrs



**FROM** 

Code	Wattage	Cap	Length	Lumens	1+	10+
2 Pin – Cool	White – 400					
0305-4229	10W	G24d-1	116 mm	600 lm	£3.20	£2.95
0305-4244	13W	G24d-1	137 mm	897 lm	£3.20	£2.95
0305-4259	18W	G24d-2	153 mm	1206 lm	£3.20	£2.95
0305-4280	26W	G24d-3	173 mm	1716 lm	£3.20	£2.95
4 Pin – Cool	White – 400	OK				
0305-4289	10W	G24q-1	109 mm	600 lm	£3.65	£3.35
0305-4298	13W	G24q-1	130 mm	897 lm	£3.65	£3.35
0305-4307	18W	G24q-2	146 mm	1206 lm	£3.65	£3.35
0305-4316	26W	G24q-3	166 mm	1716 lm	£3.65	£3.35

# **CFL LONG COMPACT 4 PIN PLL LAMPS**

■ Cap: 2G11

■ Lamp life: 10,000 hrs



Code	Wattage	Length	Lumens	1+	10+			
Cool White - 4000K								
0567-8161	18W	225 mm	1206 lm	£5.45	£5.15			
0567-8170	24W	320 mm	1800 lm	£5.45	£5.15			
0567-8179	36W	415 mm	2916 lm	£5.45	£5.15			
0567-8188	40W	535 mm	3320 lm	£6.25	£5.95			
0567-8197	55W	535 mm	4510 lm	£6.25	£5.95			







# T8 TRIPHOSPHOR FLUORESCENT TUBES



Code	Length	Wattage	Lumens	1+	25+
Warm Whit	e – 3000				
0305-4445	3 ft	30W	2450 lm	£4.85	£4.55
White – 350	OK				
1035-3877	3 ft	30W	2450 lm	£4.85	£4.65
0999-1591	6 ft	70W	6200 lm	£8.75	£8.05
Cool White	- 4000k				
0305-4448	3 ft	30W	2450 lm	£4.85	£4.65
0305-4505	6 ft	70W	6200 lm	£8.75	£8.05
Daylight – (	6500K				
1043-5366	3 ft	30W	2300 lm	£4.85	£4.65
0574-4965	6 ft	70W	5800 lm	£8.75	£8.05
		11	10	De .	
				100	
		/	1	4	No.

# T5 MINIATURE FLUORESCENT TUBES





Code	Length	Wattage	Lumens	1+	10+
White – 350	)OK				
2385-6190	150 mm [6"]	4W	160 lm	£2.60	£2.45
0305-4496	225 mm [9"]	6W	260 lm	£2.60	£2.45
0305-4508	300 mm [12"]	8W	380 lm	£2.60	£2.45
0305-4397	525 mm [21"]	13W	800 lm	£3.20	£2.95


# T5 TRIPHOSPHOR FLUORESCENT TUBES

- High-efficiency fluorescent tubes
- Lamp life: 24,000 hrs





Code	Length	Wattage	Lumens		Pr	ice	
Warm Whit	te – 3000K						
0305-4400	549 mm	14W	1250 lm	1+	£3.60	20+	£3.45
0305-4424	849 mm	21W	1900 lm	1+	£3.85	20+	£3.70
0305-4430	1149 mm	28W	2620lm	1+	£3.85	20+	£3.70
0305-4451	1149 mm	35W	3300 lm	1+	£5.50	20+	£5.15
White – 350	DOK						
1090-6717	549 mm	14W	1250 lm	1+	£3.60	20+	£3.45
1090-6726	1449 mm	35W	3300 lm	1+	£5.50	20+	£5.15
1090-6732	1449 mm	49W	4312 lm	1+	£5.50	20+	£5.15
Cool White	-4000K						
0305-4403	549 mm	14W	1250 lm	1+	£3.60	20+	£3.45
0305-4427	849 mm	21W	1900 lm	1+	£3.85	20+	£3.70
1090-6729	849 mm	39W	3005lm	1+	£5.50	20+	£5.25
0305-4433	1149 mm	28W	2620 lm	1+	£3.85	20+	£3.70
1090-6738	1149 mm	54W	4412 lm	1+	£5.50	20+	£5.25
0305-4454	1449 mm	35W	3300 lm	1+	£5.50	20+	£5.25
1090-6735	1449 mm	49W	4312 lm	1+	£5.50	20+	£5.25
1090-6741	1449 mm	80W	6200 lm	1+	£5.50	25+	£5.25
Daylight -	6500K						
1090-6720	549 mm	14W	1140 lm	1+	£3.60	20+	£3.45



Depending on which icons are present, this indicates what control gear changes are required for the retrofit LED lamps to operate.



#### **EASY INSTALL**

This icon indicates that the process to retrofit to this LED lamp is much easier as only the starter needs to be removed or replaced when operating on switch start control gear.



#### ADVANCED INSTALL

This icon indicates that the process to retrofit to this LED lamp is more complex as the bypassing of control gear is required.



Direct Retrofit – no change required

NOTE: Fusion always recommends the bypassing of all control gear to increase efficiency. Wiring diagrams are available upon request.

# LED LAMP ALTERNATIVES











# **LED LAMP ALTERNATIVES**

### LED T8 GLASS TUBES

- Suitable replacement for fluorescent tubes
- Complete with LED starter for use in switch start retrofit installations
- Beam angle: 300°
- Lamp life: 25,000 hrs
- Guarantee: 3 Years





Switch Start Control Gear = Remove Fluorescent Starter and Replace with LED Starter

**FROM** 

High Frequency Control Gear **Bypass** 

Code	Length	Wattage	Lumens	1+	5+
Non-Dimma	able – Co	ool White –	4000K		
2096-0905	2 ft	9W	900 lm	£6.75	£6.15
2096-0911	3 ft	14W	1500 lm	£8.75	£7.95
2096-0923	4 ft	18W	1950 lm	£11.05	£10.25
2096-0932	5 ft	24W	2600 lm	£13.25	£12.25
2096-0938	6 ft	30W	3400 lm	£22.50	£21.50

kaCO2e SAVING 25.000

YOU SAVE OVER 25.000

**ENERGY SAVING COMPARISON:** 30W LED Tube vs 70W T8 & Control Gear [8W]

# **LED TRI-COLOUR T8 GLASS TUBES**

- Suitable replacement for fluorescent tubes
- Selectable colour temperature: Warm white 3000K, cool white 4000K and daylight 6500K
- Complete with LED starter for use in switch start retrofit installations
- Beam angle: 300°
- Lamp life: 25,000 hrs
- Guarantee: 3 Years





Remove Fluorescent Starter and Replace with LED Starter **High Frequency Control Gear** 

Switch Start Control Gear =



Code	Length	Wattage	Lumens	1+	5+
Non-Dimm	able - C	CT			
2772-8017	2ft	9W	945-990 lm	£7.95	£7.50
2772-8020	3 ft	14W	1540-1680 lm	£9.50	£8.95
2772-8023	4 ft	18W	1980-2160 lm	£11.95	£11.50
2772-8026	5 ft	24W	2640-2880 lm	£13.95	£12.95
2772-8029	6 ft	30W	3300-3600 lm	£26.95	£25.95

#### kaCO2e SAVING

25.000

#### YOU SAVE

OVER 25.000

#### ENERGY SAVING COMPARISON:

24W LED T8 CCT Tube vs 58W T8 & Control Gear (8W)

### **LED T5 GLASS TUBES**

- Suitable replacement for fluorescent tubes
- Complete with LED starter for use in switch start retrofit installations
- Beam angle: 200°
- Lamp life: 25.000 hrs
- Guarantee: 3 Years





Switch Start Control Gear = Remove Fluorescent Starter and Replace with LED Starter



**High Frequency Control Gear** 



_					
Code	Length	Wattage	Lumens	1+	10+
Non-Dimn	nable – Co	ol White	-4000K		
2772-8041	562 mm	8W	880 lm	£9.75	£9.25
2772-8032	862 mm	12W	1320 lm	£11.95	£11.50
2772-8035	1162 mm	16W	1760 lm	£13.50	£12.95
2772-8038	1462 mm	20W	2200 lm	£15.50	£14.95

#### kaCO2e SAVING

25.000

#### **YOU SAVE**

**OVER** 

25,000

**ENERGY SAVING COMPARISON:** 

20W LED T5 Tube vs 35W T5 & Control Gear (5W)

## **LED LAMP ALTERNATIVES**



# **LED GY6.35 CAPSULE LAMPS**

- Suitable replacement for 35W and 50W halogen lamps
- Lamp life: 15,000 hrs
- Guarantee: 1 Year







Direct Retrofit - no change required



Code	Wattage	Lumens	1+	10+
Non-Dimn	nable – W	arm Whi	te – 2700	
2786-2006	2.6W	300 lm	£6.50	£5.95
2786-2012	4W	470 lm	£7.25	£6.75
Non-Dimn	nable – Co	ool White	- 4000K	
2786-2003	2.6W	300 lm	£6.50	£5.95
2786-2009	4W	470 lm	£7.25	£6.75

#### kaCO2e SAVING

15.000

#### **YOU SAVE**

**OVER** 15.000

ENERGY SAVING COMPARISON: 4W LED G4 vs 50W Halogen GY6.35

# **2W G4 LED** CAPSULE LAMPS

- Suitable replacement for 10W and 20W halogen lamps
- Lamp life: 15.000 hrs
- Pack of 2
- Guarantee: 1 Year





Direct Retrofit no change required



Code	Lumens 1+		10+
Non-Dimma	ble – Warm	White – 3	000K
2196-2761	200 lm	£9.25	£8.75
Non-Dimma	ble – Cool W	/hite – 40	OOK
2247-2401	200 lm	£9.25	£8.75

#### kaCO2e SAVING

15.000 kgCO2e hrs

#### YOU SAVE

15.000

#### **ENERGY SAVING COMPARISON:**

2W LED G4 vs 20W Halogen G4

# 3.3W LED G9 **CAPSULE LAMPS**

- Suitable replacement for 40W halogen lamps
- Lamp life: 15.000 hrs
- Pack of 2
- Guarantee: 1 Year





irect Retrofit no change rec		ŁU	+VAT
Code	Lumens	1+	10+
Non-Dimmat	ole – Warm	White – 3	000K
7196-2764	350 lm	£9 25	£8 75

**ONLY** 

**Q.25** 

£9.25 2247-2404 350 lm £8.75

#### kaCO2e SAVING

15.000

#### YOU SAVE

#### **ENERGY SAVING COMPARISON:**

3.3W LED G9 vs 40w Halogen G9

# 4.4W LED G9 **CAPSULE LAMPS**

- Suitable replacement for 40W halogen lamps
- Lamp life: 15,000 hrs
- Guarantee: 1 Year





Direct Retrofit - no change required



Code	Lumens	1+	10+
Non-Dimmal	ole – Warn	1 White –	
2658-6514	470 lm	£5.95	£5.50
Non-Dimmal	ole – Cool	White – 4	000K
2705-9821	480 lm	£5.95	£5.50

#### kaCO2e SAVING

15.000

#### YOU SAVE

OVER 15.000

#### **ENERGY SAVING COMPARISON:**

3.3W LED G9 vs 40w Halogen G9



## **LED LAMP ALTERNATIVES**

# **8W G24 LED LAMPS**

- Suitable replacement for 18 and 26W compact fluorescent lamps
- Rotating end cap
- Lamp life: 25,000 hrs





Switch Start Control Gear = Remove Starter



ligh Frequency Control Gear



Code	Cap	Length	Lumens	1+	10+
Non-Dimma	able – Cool	White – 4			
2275-5286	G24 2 Pin	145 mm	800 lm	£14.95	£14.50
2275-5325	G24 4 Pin	145 mm	800 lm	£14.95	£14.50

kaCO2e SAVING kgCO2e hrs

**YOU SAVE OVER** 25,000

**ENERGY SAVING COMPARISON:** 

8W LED Compact vs 26W Compact & Control Gear (6W)

# **2G11 LED PLL LAMPS**

- Suitable replacement for 18 55W compact fluorescent lamps
- Lamp life: 20,000 hrs
- Guarantee: 3 Years





**Switch Start & High Frequency Control** Gear = Bypass

FR	OM
£	3.75 +VAT

Code	Wattage	Length	Lumens	1+	10+			
Non-Dimmable – Cool White – 4000K								
1653-8089	8W	225 mm	900 lm	£13.75	£13.25			
2345-5771	12W	315 mm	1350 lm	£14.25	£13.75			
1653-5578	16W	415 mm	1800 lm	£14.75	£14.25			
2345-5777	20W	540 mm	2350 lm	£15.75	£15.25			

#### kaCO2e SAVING

20,000

YOU SAVE OVER 20.000

ENERGY SAVING COMPARISON:

20W LED Compact vs 55W Compact & Control Gear (3W)

## **8W LED 2D LAMPS**

- Suitable replacement for 16W compact fluorescent 2D lamps
- Lamp life: 30,000 hrs





**Switch Start Control Gear** 

= Remove Starter



**High Frequency Control Gear** 




Code	Cap	Lumens	1+	10+
Non-Dimma				
2123-0989	GR8 2 Pin	800 lm	£16.75	£15.50
2123-0992	GR10q 4 Pin	800 lm	£16.75	£15.50

#### kaCO2e SAVING

**YOU SAVE** OVER 30.000

ENERGY SAVING COMPARISON:

8W LED 2D vs 16W 2D & Control Gear (6W)













## **LED TRI-COLOUR BATTENS IP20**

- Steel body with powder-coated finish
- Polycarbonate UV stabilised diffuser
- Quick-release access system
- Ideal retrofit option for existing T8 or T5 fixtures
- Integrated LED
- Colour temperature: Warm white 3000K, cool white 4000K and daylight 6500K

- Lamp life: 50,000 hrs
- Dimensions: 72 mm[W] x 72.5 mm[D]
- Mounted: Surface or suspended
- Guarantee: 5 Years [on-site Guarantee: 1 year] [emergency Guarantee: 2 years]

#### Microwave features:

- Detection angle: [ceiling]: 360° [wall]: 150°
- Detection range: 10 m
- Timer adjustment: 5 secs / 30 secs / 90 secs / 5 mins / 20 mins or 30 mins

#### Includes:

■ Safety cords to LED tray

Code	Size	Wattage	Sensor	Lumens	Length		Pri	ce			
Standard											
2756-5063	2 ft	10W	-	1200 lm	600 mm	1+	£29.95	10+	£28.50		
2756-5066	4 ft	20W	-	2400 lm	1200 mm	1+	£30.95	10+	£29.50		
2756-5081	5 ft	30W	-	3600 lm	1500 mm	1+	£34.95	10+	£33.50		
2756-5093	5 ft	30W	Microwave	3600 lm	1500 mm	1+	£53.95	10+	£51.95		
2756-5111	6 ft	40W	-	4800 lm	1800 mm	1+	£44.95	10+	£43.50		
Standard –	Standard - High Output										
2756-5075	4 ft	40W	-	4800 lm	1200 mm	1+	£46.75	10+	£45.25		
2756-5099	5 ft	60W	-	7200 lm	1500 mm	1+	£44.95	10+	£43.50		
2756-5105	5 ft	60W	Microwave	7200 lm	1500 mm	1+	£74.95	10+	£72.95		
2756-5117	6 ft	67W	-	8040 lm	1800 mm	1+	£63.50	10+	£61.95		
3 hr Mainta	ined Em	ergency									
2756-5072	4 ft	20W	-	2400 lm	1200 mm	1+	£74.95	3+	£72.95		
2756-5087	5 ft	30W	-	3600 lm	1500 mm	1+	£79.95	3+	£77.95		
2756-5096	5 ft	30W	Microwave	3600 lm	1500 mm	1+	£94.95	3+	£92.95		
2756-5114	6 ft	40W	-	4800 lm	1800 mm	1+	£84.95	3+	£82.95		
3 hr Maintai	ined Em	ergency – l	High Output								
2756-5078	4 ft	40W	-	4800 lm	1200 mm	1+	£87.50	3+	£85.50		
2756-5102	5 ft	60W	-	7200 lm	1500 mm	1+	£89.95	3+	£87.95		
2756-5108	5 ft	60W	Microwave	7200 lm	1500 mm	1+	£109.95	3+	£107.95		
2756-5120	6 ft	67W	-	8040 lm	1800 mm	1+	£99.95	3+	£97.95		









kgC02e SAVING 50,000

**YOU SAVE** OVER 50,000

**ENERGY SAVING COMPARISON: 30W LED Batten vs** 58W T8 Fluorescent Lamp & Control Gear [8W]







# FUSICAN Luminaires

# **LED NON-CORROSIVE FITTINGS IP65**

- Polycarbonate body and purpose-designed opal diffuser
- Integrated LED
- Colour temperature: Cool white 4000K
- Lamp life: 50,000 hrs
- Impact rating: IK08

- Mounted: Surface or suspended
- Guarantee: 5 Years
  [on-site Guarantee: 1 year]
  [emergency Guarantee: 2 years]



#### Includes:

- Stainless steel fixing clips
- Gear tray extension cords

Code	Size	Wattage	Lumens	Length	Width	Depth	1+	10+			
Standard											
2613-7831	2 ft	9W	1100 lm	600 mm	96 mm	79 mm	£29.50	£27.95			
2613-7834	2 ft	18W	2200 lm	600 mm	96 mm	79 mm	£34.95	£33.25			
2613-7894	4 ft	18W	2200 lm	1200 mm	96 mm	79 mm	£35.50	£33.95			
2613-7840	4 ft	40W	4800 lm	1200 mm	96 mm	79 mm	£44.25	£42.50			
2613-7846	5 ft	23W	2800 lm	1500 mm	96 mm	79 mm	£39.50	£37.95			
2613-7852	5 ft	48W	5800 lm	1500 mm	96 mm	79 mm	£47.50	£45.75			
2613-7858	6 ft	27W	3200 lm	1800 mm	96 mm	83 mm	£49.95	£48.50			
2613-7864	6 ft	55W	6600 lm	1800 mm	96 mm	83 mm	£69.50	£67.75			
Standard – Microwave Sensor											
2726-9278	5 ft	23W	2800 lm	1500 mm	96 mm	79 mm	£51.50	£49.95			
2726-9272	5 ft	48W	5800 lm	1500 mm	96 mm	79 mm	£64.50	£62.75			
Code	Size	Wattage	Lumens	Length	Width	Depth	1+	3+			
3 hr Maintai	ned Em	ergency									
2613-7837	4 ft	18W	2200 lm	1200 mm	96 mm	79 mm	£78.95	£76.95			
2613-7849	5 ft	23W	2800 lm	1500 mm	96 mm	79 mm	£89.95	£87.95			
2613-7861	6 ft	27W	3200 lm	1800 mm	96 mm	83 mm	£99.95	£97.95			
3 hr Maintai	ned Em	ergency –	High Outpu	it							
2613-7843	4 ft	40W	4800 lm	1200 mm	96 mm	79 mm	£88.95	£86.50			
2613-7855	5 ft	48W	5800 lm	1500 mm	96 mm	79 mm	£99.95	£97.50			
2613-7867	6 ft	55W	6600 lm	1800 mm	96 mm	83 mm	£109.95	£107.50			
3 hr Maintai	ned Em	ergency –	Microwave	Sensor							
2726-9281	5 ft	23W	2800 lm	1500 mm	96 mm	79 mm	£113.95	£109.95			
2726-9275	5 ft	48W	5800 lm	1500 mm	96 mm	79 mm	£137.50	£133.50			

#### Microwave features:

- Detection angle: [ceiling]: 360° [wall]: 150°
- Detection range: 10 m
- Timer adjustment: 5 secs, 30 secs, 90 secs, 5 mins, 20 mins or 30 mins



#### kgC02e SAVING

UP **972.90** OVER 50,000 hrs



VOU SAVE
UP **£1,316.00** OVER 50,000 hrs

#### **ENERGY SAVING COMPARISON:**

48W LED Non Corrosive vs 2 x 58W T8 Fluorescent Lamps & Control Gear [26W]





# **LED LINEAR VAPOUR PROOF FITTINGS IP65**

- Slim extruded single-piece polycarbonate body and opal diffuser
- Integrated LED
- Colour temperature: Cool white 4000K
- Lamp life: 25,000 hrs
- Dimensions: 53 mm[W] x 35 mm[D]
- Mounted: Surface or suspended
- Guarantee: 2 Years







#### Includes:

- Stainless steel fixing clips
- Entry gland
- Quick-fit terminals

Code	Size	Wattage	Lumens	Length	1+	10+
Single						
2607-5575	4 ft	36W	3600 lm	1261 mm	£23.75	£22.75
2607-5578	5 ft	45W	4500 lm	1541 mm	£27.95	£26.95
2607-5581	6 ft	60W	6000 lm	1841 mm	£42.50	£41.50



kaCO2e SAVING

UP **93.15** OVER 25,000 hrs

**YOU SAVE** 

UP **£126.**00 OVER 25,000 hrs

ENERGY SAVING COMPARISON:

60W LED Vapour Proof vs 70W T8 Fluorescent Lamp & Control Gear (8W)





# LED SLIMLINE UNDER CABINET LINK LIGHTS

- Suitable replacement for traditional T4 and T5 fluorescent fittings
- Compact, surface mounted design
- Beam angle: 180°
- Lamp life: 30,000 hrs
- Guarantee: 3 Years



- 1.5 m Mains cable
- 250 mm Link cable
- Fixing brackets
- **■** Connector

Code Wattage Lo		Length	Lumens	1+	5+
Warm White – 3	3000K				
2341-3855	4W	225 mm	340 lm	£12.95	£12.50
2033-5693	4W	288 mm	370 lm	£13.50	£12.95
2033-5696	7W	516 mm	630 lm	£16.95	£16.25
2033-5699	9W	549 mm	800 lm	£20.50	£19.50
2033-5684	13W	849 mm	1200 lm	£22.95	£21.75
2033-5687	18W	1149 mm	1600 lm	£27.50	£26.25
2033-5690	22W	1449 mm	1800 lm	£36.50	£34.95
Cool White – 40	OOK				
2341-3852	4W	225 mm	360 lm	£12.95	£12.50
1916-9914	4W	288 mm	400 lm	£13.50	£12.95
1916-9917	7W	516 mm	700 lm	£16.95	£16.25
1916-9920	9W	549 mm	900 lm	£20.50	£19.50
1916-9905	13W	849 mm	1300 lm	£22.95	£21.75
1916-9908	18W	1149 mm	1800 lm	£27.50	£26.25
1916-9911	22W	1449 mm	2100 lm	£36.50	£34.95

kgC02e SAVING

UP 74.52 OVER 30,00 hrs

UP **£100.**80 OVER 30,000 brs

**YOU SAVE** 

**ENERGY SAVING COMPARISON:** 

13W LED Link Light vs 21W T5 Link Light (4W)

Code	Length	1+	5+
Link Cables			
0088-7071	250 mm	£2.95	£2.75
0088-7074	500 mm	£3.25	£2.95
0088-7059	1000 mm	£3.50	£3.25









# **BACKLIT LED TP[a] PANELS IP20**

- Aluminium body with low glare opal polycarbonate TP[a] diffuser
- Optional emergency conversion pack sold separately [2628-3835]
- Mounted: Recessed
- Lamp life: 50,000 hrs
- Guarantee: 5 Years [on-site Guarantee: 1 year]

kgC02e SAVING

UP 538-20 50,000 TO 538-20 hrs

YOU SAVE
UP **£772.00** OVER 50,000

**ENERGY SAVING COMPARISON:** 

36W LED Panel vs 4x18W Fluorescent Lamps & Control Gear (16W)

#### Includes:

■ Plug-and-play driver

Code	Wattage	Lumens	Length	Width	Depth	1+	10+					
Non-Dimmable	Non-Dimmable – Warm White – 3000K											
2676-5536	36W	3820 lm	595 mm	595 mm	34 mm	£25.95	£24.95					
Non-Dimmable – Cool White – 4000K												
2676-5530	36W	3820 lm	595 mm	595 mm	34 mm	£25.95	£24.95					
2676-5518	36W	3820 lm	1195 mm	295 mm	34 mm	£44.95	£42.95					
2676-5524	45W	4830 lm	1195 mm	295 mm	34 mm	£76.95	£74.95					
Non-Dimmable	- Daylight - 6500K											
2676-5533	36W	3820 lm	595 mm	595 mm	34 mm	£25.95	£24.95					
2676-5521	36W	3820 lm	1195 mm	295 mm	34 mm	£44.95	£42.95					
2676-5527	45W	4830 lm	1195 mm	295 mm	34 mm	£76.95	£74.95					

# FROM 25.95 £25+VAT

# **4.3W EMERGENCY CONVERSION PACK**

- Designed for Fusion LED panels
- 24 Hour charge time
- Test button

- Emergency duration: 3 hrs
- Charge indicator LED
- Guarantee: 2 Years

Code	Length	Width	Depth	1+	3+
2628-3835	213 mm	95 mm	40 mm	£57.95	£55.95



12W / 16W DOME LED TRI-COLOUR **BULKHEADS IP65** 

- LED Bulkhead with opal diffuser
- Selectable colour temperature: Warm white 3000K, cool white 4000K or daylight 6500K
- Switch located on the driver takes the fitting down to 12W for increased energy savings
- Lumen output [12W]: 1,200 1,300 lm [16W]: 1,600 - 1,700 lm
- Guarantee: 3 Years [emergency Guarantee: 2 years]









COOL WHITE

WARM WHITE

## Microwave features:

- Detection angle: 360°
- Detection range: 10 m
- Timer adjustment: 5 secs 10 mins

#### Includes:

■ Standard white hezel



Code	Sensor	Lamp Life	Depth	Ø		Prio	e		
Standard									
2704-3078	No	30000 hrs	82.5 mm	320 mm	1+	£22.95	5+	£21.50	
2704-3147	Microwave	30000 hrs	82.5 mm	320 mm	1+	£41.75	5+	£39.75	
3 hr Maintair	ned Emerge	псу							
2704-3144	No	20000 hrs	82.5 mm	320 mm	1+	£43.50	3+	£41.95	
2704-3150	Microwave	20000 hrs	82.5 mm	320 mm	1+	£59.95	3+	£57.95	
Code	Colour					1	+	3+	
Bezels - To b	e ordered se	eparately							
2722-3345	Chrome					£7.9	5	£7.75	
2722-3348	Polished Br	ass				£12.9	5	£12.75	



#### **YOU SAVE**

**OVER** 30,000

**ENERGY SAVING COMPARISON:** 12W LED Bulkhead vs 16W 2D & Control Gear (10W) **FROM** 







#### **CCT SELECTABLE**

- Dome fittings have a built-in CCT colour select function [WW / CW / DL]
- The colour temperature can be changed by adjusting the switch on the LED gear tray










## ool Dayli

# **LED LUMINAIRE ALTERNATIVES**

#### WIRING

Push-fit [loop-in/loop-out] terminal block




#### **ACCESS**



#### WATTAGE SELECTABLE

 The Dome Bulkhead has a built-in Wattage selection function [12W or 16W]. The wattage can be changed by adjusting the switch on the LED Driver.



#### **EMERGENCY**

- Maintained emergency [3 hr / 180 mins] versions available
- Emergency output: 80 lm



#### MICROWAVE SENSOR

 Dip switch programmable microwave sensor with corridor function is also available.







12W / 16W KLIP LED TRI-COLOUR BULKHEADS IP65

- LED Bulkhead with opal diffuser
- Selectable colour temperature: Warm white 3000K, cool white 4000K or daylight 6500K
- Switch located on the driver takes the fitting down to 12W for increased energy savings
- Lumen output [12W]: 1,200 1,300 lm [16W]: 1,600 - 1,700 lm
- Optional tamper-proof fixings sold separately [2633-1619]

#### Includes:

■ Standard white hezel

- Lamp life: 30,000 hrs
- Guarantee: 5 Years [on-site Guarantee: 1 year] [emergency Guarantee: 2 years]

#### Microwave features:

- Detection angle: 360°
- Detection range: 12 m
- Timer adjustment: 0 - 20 mins



it <mark>cef.co.uk</mark> for demonstration	

Code	Sensor	Depth	Ø		Price					
Standard										
2704-3168	No	95 mm	340 mm	1+	£28.95	5+	£27.50			
2704-3174	Microwave	95 mm	340 mm	1+	£46.95	5+	£44.95			
3 hr Maintained Emergency										
2704-3171	No	95 mm	340 mm	1+	£48.50	3+	£46.95			
2704-3177	Microwave	95 mm	340 mm	1+	£64.95	3+	£62.95			

#### **Bezels** - To be ordered separately

Code	Colour	1+	5+
Standard			
2743-9111	Anthracite	£5.25	£4.95
2631-9289	Black	£3.50	£3.25
2631-9292	Chrome	£7.25	£6.75
2631-9307	White	£3.50	£3.25
Eyelid			
2743-9114	Anthracite	£5.25	£4.95
2631-9295	Black	£3.50	£3.25
2631-9298	White	£3.50	£3.25
Grille			
2631-9301	Black	£3.50	£3.25
2631-9304	White	£3.50	£3.25
Code	Description		1+
2633-1619	Tamper Proof Screws and Tool		£4.50



kgC02e SAVING 30,000

YOU SAVE OVER 30,000 hrs

**ENERGY SAVING COMPARISON:** 16W LED Bulkhead vs 28W 2D & Control Gear (6W) **FROM** 





2704-3168 [Without Bezel Fitted]

#### **CLIP-ON BEZELS**

- 9 x Clip-on bezels available [white bezel included]
- Conduit knockouts on bezel

Bezels hide fixings when installed



- Self-retaining screws
- Tool-free hinged gear tray






- 4 x 20 mm Conduit entry points
- 2 x Rear cable entry points
- Wiring recess on base with knockouts
- 55 mm BESA Conduit box mounting
- 12 x Pilot holes for surface mounting









CCT SELECTABLE
CCT Colour Select Function
[WW / CW / DL]



WIRING
Push-fit [loop-in / loop-out]
terminal block



#### MICROWAVE SENSOR

DIP Switch programmable microwave sensor with corridor function



TAMPER-PROOF SCREWS & TOOL Sold separately



WATTAGE SELECT
Easily change between 12W and 16W

2631-9295

#### **OPTIONAL BEZELS**

2743-9114



2631-9298 2631-9301

23



# LED CIRCULAR FLEXI-FIT TRI-COLOUR DOWNLIGHTS IP20

- White body with opal polycarbonate diffuser
- Integrated switch to select colour temperatures
- Adjustable spring clips allow recessed mounting in downlight holes
- Selectable colour temperature: Warm white 3000K, cool white 4000K and daylight 6000K
- Interchangeable magnetic bezels available – sold separately
- Mounted: Surface or recessed
- Lamp life: 30,000 hrs
- Guarantee: 2 Years

#### Includes:

■ Integrated driver



#### **6W Downlight**

■ Lumen output: 390, 420 or 450 lm

Visit cef.co.uk for	0
video demonstration	

Code	Depth	0	Cut Out Ø	1+	10+
2606-9203	15 mm	140 mm	55 - 100 mm	£17.25	£16.25
Code	Finish			1+	10+
Magnetic Bo	ezel				
2606-9218	Chrome			£4.75	£4.25
2606-9215	Matt Black			£4.75	£4.25
2606-9221	Satin Nickel			£4.75	£4.25

#### 18W Downlight

Lumen output: 1,500, 1,530 or 1,560 lm

Code	Depth	Ø	Cut Out Ø	1+	10+
2604-0979	15 mm	217 mm	55 - 175 mm	£27.95	£26.95
Code	Finish			1+	10+
Magnetic Bezel					
2604-0985	Chrome			£5.95	£5.50
2604-0982	Matt Black			£5.95	£5.50
2604-0988	Satin Nickel			£5.95	£5.50

#### 24W Downlight

Lumen output: 1.980, 2.010 or 2.040 lm

to the state of th							
Code	Depth	Ø	Cut Out Ø	1+	10+		
2606-9200	15 mm	290 mm	60 - 250 mm	£39.95	£38.95		
Code	Finish			1+	10+		
Magnetic B	ezel						
2606-9209	Chrome			£7.95	£7.50		
2606-9206	Matt Black			£7.95	£7.50		
2606-9212	Satin Nickel			£7.95	£7.50		

kgC02e SAVING

UP 285.66 30,000 hrs

VOU SAVE
UP **£386.**40 OVER 30,000 hrs

**ENERGY SAVING COMPARISON:** 

18W LED Downlight vs 2 x 26W Compact & Control Gear [12W]







#### SURFACE MOUNTED

By using the bracket, screws and wall plugs, the fitting can be surface mounted.



#### **RECESS MOUNTED**

The spring-clips are adjustable, which allows it to be used in cut-out sizes from 55 mm to 250 mm depending on the luminaire wattage.



#### MAGNETIC BEZELS

The Flexi-Fit bezel is white as standard. Additional magnetic bezels are sold separately, allowing the option to tailor the fitting to preferred aesthetics.

















# **LED LOW PROFILE COMMERCIAL DOWNLIGHTS IP20**

Low profile recessed downlight with opal polycarbonate diffuser

Ideal replacement for existing CFL fixtures

■ Mounted: Recessed

■ Lamp life: 25,000 hrs

■ Guarantee: 2 Years



#### Includes:

■ Plug-and-play driver

Code	Wattage	Lumens	Depth	Ø	Cut Out Ø	1+	10+
Cool White -	4000K						
2634-4567	6W	450 lm	21 mm	128 mm	115 mm	£10.50	£9.95
2634-4558	12W	900 lm	21 mm	170 mm	150 mm	£14.25	£13.75
2634-4561	18W	1600 lm	21 mm	229 mm	210 mm	£16.95	£16.25
2634-4564	24W	1900 lm	21 mm	298 mm	280 mm	£26.95	£26.25

FROM £ 10.50 £ VAT

kgC02e SAVING

UP 238.05 OVER 25,000 hrs

VOU SAVE
UP **£322.00** OVER 25,000 hrs


**ENERGY SAVING COMPARISON:** 

18W LED Downlight vs 2 x 26W Compact & Control Gear [12W]

# 4.1W EMERGENCY CONVERSION KIT IP20

- All-in-one emergency conversion kit for Fusion Low Profile LED circular downlights
- Lithium-ion phosphate [LiFePO4] battery offers excellent reliability
- Plug-and-play connections

- Manual test button
- Emergency duration: 3 hrs Maintained
- Guarantee: 2 Years







# FREE LIGHTING DESIGN SERVICE

Exclusive lighting design service for CEF customers from Fusion Luminaires

95% of lighting designs completed within 3 days

# Our free lighting design services include



#### **PLANS**

 An overview of products required for the project



A quick reference point for placements



#### **RESULTS OVERVIEW**

 Illumination levels and products required for individual rooms



#### NUMERICAL RESULTS

Numerical LUX levels results



#### OPTIONAL 3D RENDERED IMAGES

• 3D visual representation of post project install



#### **FULL PRODUCT SPECIFICATION**

 Detailed specification of products used for the project



# OPTIONAL ENERGY SAVING REPORT CALCULATOR

 Energy saving report to showcase usage and monetary savings





# For more details contact your local branch



CEF are committed to providing their customers with a unique recycling solution, to ensure all electrical waste is recycled responsibly and valuable resources are captured and recovered for our future generations.

CEF are the only electrical distributor in the UK to have an in-house electrical waste recycling facility, offering our customers a complete one-stop recycling service and compliance in line with all current legislation.

# waste© experts

flexible - reliable - responsible

ASK IN-BRANCH OR VISIT cef.co.uk/waste-recycling FOR MORE INFORMATION





# DID YOU KNOW?



CEF recycle over **1 million** lamps a year

CEF recycle more electrical waste than any other UK electrical distributor





CEF care for the environment by **recycling 98%** of the electrical waste it receives

CEF have a network of over **390 branches** ready to help you meet your environmental responsibilities



PD1177/11.23







IN-BRANCH | CEF.CO.UK | TRADE CATALOGUE | APP